

FEATURE COLLECTION
OBLO GRAPHITE SET

Oblo
Graphite Pendant
Linear Ceiling Plate

6 WATT | 540 LUMENS | 2700K

*Individually sandblasted, smooth dimmable LED filament lamp made of mouth-blown glass.
This lamp uses 6 Watts of power and achieves 540 Lumens at a CRI of 95. It has an IP54 rating.*

LAMP

Shape: Custom
Materials: Brass cap, mouth-blown glass
Finish: Matte porcelain
Beam angle: 360°
Base: E27
Weight: 0.182 kg
Working temperature: -5C to 40C
Warm up time: Instant
Warranty: 3 years
Input Voltage: 220V-240V
Glare control: We use up to 8 LED filaments in our lamps. This, together with a thicker phosphor coating, reduces and controls glare, resulting in an even, more comfortable light.



BEST PAIRED WITH


1. Brass Pendant
2. Graphite Pendant
3. Oak/Walnut Pendant
4. Oak/Walnut Touch Lamp



PERFORMANCE

CRI (colour rendering index)	95
Lamp lumen output	540
Luminaire circuits per watt (LM/W)	90
Lifetime (TM-21) (hours)	30,000
Colour Temperature	2700K
Power factor	0.9

POLAR DIAGRAM



DIMMING

Dimmable: Yes
Dimming type: Trailing edge
Recommended EU Dimmer: Varilight - V-pro JXP401
 (X denotes faceplate color)

A full list of compatible dimmers is available on request.

OUTER CARTON

Pc/ Ctn: 20
Gross weight: 4.5kg
Length: 68cm
Width: 28cm
Height: 34cm

IES/LDT FILE

Available upon request.

EAN UK: 5060400150212



GRAPHITE PENDANT

SKU: GRAP-PD-01

tala®

Anodised aluminium pendant, fitted with a braided 3 metre black kink free cord that's easily adjusted by hand. Complete with ceiling rose as standard.

FIXTURE

Type: Pendant
Materials: Anodised aluminium
Finish: Anodised
Ceiling rose dimensions: 80mm x 25mm
Lampholder: E27
Weight: 0.307 kg
Warranty: 1 year
Input Voltage: 220-240V
Cord: 3 metre cord, Black fabric covered silicone
Luminaire: Class II
Wattage: Max 60 W

Dimmable: Yes




65 mm

40 mm

BEST PAIRED WITH

1. Enno / Noma / Oblo / Oval



OUTER CARTON

Pc/ Ctn: 8
Gross weight: 4.6kg
Length: 22cm
Width: 44cm
Height: 23.5cm

EAN UK: 5060400150564

IP120



LINEAR CEILING PLATE


tala®

SKU: POD-PLATE-LINE-NP-UK-01

Powder coated, steel ceiling plate that fits four ceiling roses in a uniform row. Securely hooks cords into position, ensuring consistent spacing between each light.

FIXTURE

Type: Ceiling Plate
Materials: Steel
Finish: Matte white, powder coated
Warranty: 1 years
Weight: 3.313 kg
Length: 900mm
Width: 180mm
Height: 20mm



BEST PAIRED WITH

1. Porcelain Range Bulbs
2. Feature Collection Bulbs
3. Graphite Pendant

EAN UK: 50604001511431

IP20

